

TECHNICAL DATA

GLASS CLOTH TAPE Product Code: BT08S



Description : BT08S glass cloth tape 0.22mm, premium-grade, edge tear-resistant, electrical tape. This printable tape has a non-corrosive adhesive and offers solvent-resistant protection. It is used as a coil cover, an anchor, a banding, a core, a layer and a crossover insulator. The flame-retardant tape is suitable for 600V-rated, dry location application motors and transformers.

Application : BT08S glass cloth tape Flame-Retardant Tape has a pressure-sensitive, high-temperature, thermosetting, silicone adhesive that offers excellent bonding once adhered. This conformable tape has glass-cloth backing that resists rotting and shrinking while providing excellent stability. It withstands a temperature range of 32 to 392 degrees F (0 to 200 degrees C). UL Listed, MIL-19166C, CSA Certified and RoHS 2011/65/EU Compliant.

Technical Details :	<u>PROPERTIES</u>	<u>UNIT</u>	<u>SPECIFICATION</u>
	TOTAL THICKNESS	mm	0.215 ± 0.02
	TENSILE STRENGTH	kg/25mm	47.5
	ELONGATION	%	5
	ADHESIVE STRENGTH	kg/25mm	0.6
	DIELECTRIC BREAKDOWN	kV	3
	TEMPERATURE CLASS	°C	185

Color : White

In accordance with ASTM method

Test Method :

Shelf Life : 6 months when storage at 23°C and 65% relative humidity

Availability : Standard 30M roll, 3" core, width 1070mm

Important Notice to Purchase

All Statements, technical information and recommendations contained herein are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed and the following is made in lieu of all warranties, express or implied: Seller's and manufacturer's only obligation shall be to replace such quantity of the product of the product proved to be defective. Neither seller nor manufacturer shall be liable for any injury loss or damage direct or consequential arising out of the use of or the inability to use the product. Before using users shall determine the suitability of the product for their intended uses and users assume all risk and liability whatsoever in connection there with.

No statement or recommendation not contained herein shall have any force or effect unless in an agreement signed by officers of Seller and manufacturer.

